EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3989760	(measur$6 attribut$3 character$9 qualit$3 radiat$3 electric$5 electromagnetic$5 power energ$4 paramet $7 voltage current noise signal$3 consum$6) near5 (record$3 read$3 stor$3 memor$6 register$3 acquir $3 writ$3 sav$3 collect$3 gather$3 keep$3 obtain$3 copy$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:41
L2	72336	L1 and @pd>"20080801"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:41
L3	50478	2 and (command$3 signal$3 instruct$3 order$3 direct $3 issu$3 charg$3 control$5 initiat$4) with (encrypt $3 cryptograph$5 cipher$3 encipher$3 process$3 operat$3 scrambl$3 decrypt$3 decipher$3 descrambl $3 unscrambl$3 encod$3 decod$3 disarrang$3 dearrang$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:44
L4	15046	3 and (statistic$4 value amount quantity measur$5 number size magnitude) near5 (combin$5 mask$3 hid$3 cover$3 disguise$3 conceal$3 masquerad$3 obscur$3 obfuscat$3 concatenat$3 add$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:44
L5	15046	4 and (statistic$4 histor$6 value amount quantity measur$5 number size magnitude data information) near5 (combin$5 mask$3 hid$3 cover$3 disguis$3 conceal$3 masquerad$3 obscur$3 obfuscat$3 concatenat$3 add$3 mix$3 exclusive)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:47

L6	2795	5 and ((measur$5 record$3 read$3 guess$3 study$3 analy$6 review$3 calculat$3 comput$5 determin$5 evaluat$4 assess$4 estimat$3) near5 (attribut$3 radiat$3 electromagnetic$4 power voltage current noise signal$3 consum$6 character$9 qualit$3 radiat $3 electric$5 electromagnetic$5 energ$4 paramet$7) same ((analog near3 digital) ADC (A near3 D) convert$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:48
L7	241	6 and ((determin$6 measur$5 figur$3 find$3 obtain $3 discover$3 acquir$3 guess$3 estimat$3 calculat $3 comput$5 evaluat$4 assess$4) near4 (data information) same (key cryptograph$5 encrypt$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:50
L8	32	7 and (((determin$6 measur$5 figur$3 find$3 obtain $3 discover$3 acquir$3 recover$3 leak$3 seep$4 escap$3) near4 (data information)) near5 (key cryptograph$5 encryptS3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:51
L9	6614	380/1,37,204,207,218,252,253,254).ccls. (705/41,65,66).ccls. (726/9,20,25).ccls. (713/159,172,185,194,340).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 10:57
L14	6	L9 and ((measur$6 attribut$3 character$9 qualit$3 radiat$3 electric$5 electromagnetic$5 power energ $4 paramet$7 voltage current noise signal$3 consum $6) near7 (record$3 read$3 stor$3 memor$6 register $3 acquir$3 writ$3 sav$3 collect$3 gather$3 keep$3 obtain$3 copy$3) same (command$3 signal$3 instruct$3 order$3 direct$3 issu$3 charg$3 control$5 initiat$4) near7 (encrypt$3 cryptograph$5 cipher$3 encipher$3 process$3 operat$3 scrambl$3 decrypt$3 decipher$3 descrambl$3 unscrambl$3 encod$3 decod $3 disarrang$3 dearrang$3) same(statistic$4 histor $6 value amount quantity measur$5 number size magnitude data information) near7 (combin$5 mask $3 hid$3 cover$3 disguis$3 conceal$3 masquerad$3	US-PGPUB	OR	ON	2008/10/31 11:00

		obscur$3 obfuscat$3 concatenat$3 add$3 mix$3 exclusive)).CLM.				
S1	199	(KOCHER near PAUL) (JAFFE near JOSHUA) (JUN near BENJAMIN) (CRYPTOGRAPHY near RESEARCH)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 21:33
S2	3	"20020124178"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 21:36
S3	141	S1 and ((measur$6 attribut$3 character$9 qualit$3 radiat$3 electric$5 electromagnetic$5 power energ $4 paramet$7 voltage current noise signal$3 consum $6) near5 (record$3 read$3 stor$3 memor$6 register $3 acquir$3 writ$3 sav$3 collect$3 gather$3 keep$3 obtain$3 copy$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 21:55
S4	126	S3 and (command$3 signal$3 instruct$3 order$3 direct$3 issu$3 charg$3 control$5 initiat$4) near5 (encrypt$3 cryptograph$5 cipher$3 encipher$3 process$3 operat$3 scrambl$3 decrypt$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:06
S5	33	S3 and (command$3 signal$3 instruct$3 order$3 direct$3 issu$3 charg$3 control$5 initiat$4) near5 (decipher$3 descrambl$3 unscrambl$3 encod$3 decod$3 disarrang$3 dearrang$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:06
S6	126	S4 S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:06

S7	135	S3 and (command$3 signal$3 instruct$3 order$3 direct$3 issu$3 charg$3 control$5 initiat$4) with (encrypt$3 cryptograph$5 cipher$3 encipher$3 process$3 operat$3 scrambl$3 decrypt$3 decipher$3 descrambl$3 unscrambl$3 encod$3 decod$3 disarrang$3 dearrang$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:07
S8	135	S6 S7	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:08
S9	98	S8 and (statistic$4 value amount quantity measur$5 number size magnitude) near5 (combin$5 mask$3 hid$3 cover$3 disguis$3 conceal$3 masquerad$3 obscur$3 obfuscat$3 concatenat$3 add$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:11
S10	122	S8 and (statistic$4 histor$6 value amount quantity measur$5 number size magnitude data information) near5 (combin$5 mask$3 hid$3 cover$3 disguis$3 conceal$3 masquerad$3 obscur$3 obfuscat$3 concatenat$3 add$3 mix$3 exclusive)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:16
S11	24	S10 and ((measur$5 record$3 read$3 guess$3 study$3 analy$6 review$3 calculat$3 comput$5 determin$5 evaluat$4 assess$4 estimat$3) near5 (attribut$3 radiat$3 electromagnetic$4 power voltage current noise signal$3 consum$6 character$9 qualit$3 radiat$3 electric$5 electromagnetic$5 energ$4 paramet$7) same ((analog near3 digital) ADC (A near3 D) convert$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:30
S12	2	"20010053220"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:39

S13	89	S10 and ((determin$6 measur$5 figur$3 find$3 obtain$3 discover$3 acquir$3 guess$3 estimat$3 calculat$3 comput$5 evaluat$4 assess$4) near4 (data information) same (key cryptograph$5 encrypt $3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 22:45
S14	53	S10 and (((determin$6 measur$5 figur$3 find$3 obtain$3 discover$3 acquir$3 recover$3 leak$3 seep $4 escap$3) near4 (data information)) near3 (key cryptograph$5 encryptS3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/29 23:20
S15	6614	(380/1,37,204,207,218,252,253,254).ccls. (705/41,65,66).ccls. (726/9,20,25).ccls. (713/159,172,185,194,340).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:11
S20	4527	S15 and ((measur$6 attribut$3 character$9 qualit$3 radiat$3 electric$5 electromagnetic$5 power energ $4 paramet$7 voltage current noise signal$3 consum $6) near5 (record$3 read$3 stor$3 memor$6 register $3 acquir$3 writ$3 sav$3 collect$3 gather$3 keep$3 obtain$3 copy$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:13
S21	4014	S20 and (command$3 signal$3 instruct$3 order$3 direct$3 issu$3 charg$3 control$5 initiat$4) near5 (encrypt$3 cryptograph$5 cipher$3 encipher$3 process$3 operat$3 scrambl$3 decrypt$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:14
S22	1096	S20 and (command$3 signal$3 instruct$3 order$3 direct$3 issu$3 charg$3 control$5 initiat$4) near5 (decipher$3 descrambl$3 unscrambl$3 encod$3 decod$3 disarrang$3 dearrang$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:14
S23	4074	S21 S22	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:14

S24	4074	S23 and (command$3 signal$3 instruct$3 order$3 direct$3 issu$3 charg$3 control$5 initiat$4) with (encrypt$3 cryptograph$5 cipher$3 encipher$3 process$3 operat$3 scrambl$3 decrypt$3 decipher$3 descrambl$3 unscrambl$3 encod$3 decod$3 disarrang$3 dearrang$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:15
S25	1493	S24 and (statistic$4 value amount quantity measur $5 number size magnitude) near5 (combin$5 mask $3 hid$3 cover$3 disguis$3 conceal$3 masquerad$3 obscur$3 obfuscat$3 concatenat$3 add$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:16
S26	2343	S24 and (statistic$4 histor$6 value amount quantity measur$5 number size magnitude data information) near5 (combin$5 mask$3 hid$3 cover$3 disguis$3 conceal$3 masquerad$3 obscur$3 obfuscat$3 concatenat$3 add$3 mix$3 exclusive)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:16
S27	2343	S25 S26	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:16
S28	315	S27 and ((measur$5 record$3 read$3 guess$3 study $3 analy$6 review$3 calculat$3 comput$5 determin $5 evaluat$4 assess$4 estimat$3) near5 (attribut$3 radiat$3 electromagnetic$4 power voltage current noise signal$3 consum$6 character$9 qualit$3 radiat $3 electric$5 electromagnetic$5 energ$4 paramet$7) same ((analog near3 digital) ADC (A near3 D) convert$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:17
S30	143	S28 and ((determin$6 measur$5 recover$3 leak$3 seep$4 escap$3 figur$3 find$3 obtain$3 discover$3 acquir$3 guess$3 estimat$3 calculat$3 comput$5 evaluat$4 assess$4) near4 (data information) same (key cryptograph$5 encrypt$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:21

S31	104	S30 and (((determin$6 measur$5 recover$3 leak$3 seep$4 escap$3 figur$3 find$3 obtain$3 discover$3 acquir$3 guess$3 estimat$3 calculat$3 comput$5 evaluat$4 assess$4) near4 (data information)) near10 (key cryptograph$5 encrypt$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:22
S33	95	S30 and ((determin$6 measur$5 recover$3 leak$3 seep$4 escap$3 figur$3 find$3 obtain$3 discover$3 acquir$3 guess$3 estimat$3 calculat$3 comput$5 evaluat$4 assess$4) near4 (data information) near5 (key cryptograph$5 encrypt$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:23
S38	12	S28 and @pd>"20080801"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:30
S39	3989760	(measur$6 attribut$3 character$9 qualit$3 radiat$3 electric$5 electromagnetic$5 power energ$4 paramet $7 voltage current noise signal$3 consum$6) near5 (record$3 read$3 stor$3 memor$6 register$3 acquir $3 writ$3 sav$3 collect$3 gather$3 keep$3 obtain$3 copy$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/31 09:37

10/31/2008 11:01:40 AM
C:\Documents and Settings\hnobahar\My Documents\EAST\Workspaces\10005105_10136012.wsp